

BUREAU VERITAS
Certification



**CERTIFICATE OF THE QUALITY
ASSURANCE SYSTEM**
European Directive 2014/33/EU

Certificate nb: **ES079529-1035**

In application of the lift conformity evaluation procedure in European Directive 2014/33/UE de BUREAU VERITAS CERTIFICATION, it has been established that the quality system for the activities of:

**DESIGN, MANUFACTURE, FINAL INSPECTION AND TESTS
OF SAFETY COMPONENTS**

For the products:

LOCKING DEVICES FOR LANDING DOORS

(Models and features in certificate appendices)

Of the manufacturer: **TECNIDOORS, S.P.A.**
Address: **Via M. Ferrari 5 / 7, 28012 Cressa (Novara), Italia**
Production site: **Via M. Ferrari 5 / 7, 28012 Cressa (Novara), Italia**

Meets the requirements established in **Annex VII module H** of the Directive 2014/33/EU of the European Parliament and of the council of 26 February 2014 on the harmonisation of the laws of the Member States relating to lifts and safety components for lifts.

This certificate will remain valid as long as the conditions established in the corresponding joint regulations, the plant's manufacturing conditions, or the Quality system are upheld and not changed.

Initial date of issue: **March 3rd 2017**
Date of update: **March 6th 2020**
Expiration date: **March 3rd 2023**



**BUREAU
VERITAS**



TECHNICAL APPENDIX 1 OF CERTIFICATE Nº ES079529-1035

CENTER 1: Via M. Ferrari 5 / 7, 28012 Cressa (Novara), Italia

Activity: Manufacture, final inspection and tests of safety components for the locking devices for landing doors, according to following information:

"product list of certificate ES079529-1035"

CENTER 2: **TECNOLAMA, S.A. (FERMATOR GROUP)**
Carretera de Constantí km. 3, 43206 Reus (Tarragona)

Activity: Design and tests of safety components for the locking devices for landing doors, according to following information:

"product list of certificate ES025684-1035 list"





TECHNICAL APPENDIX 1 OF CERTIFICATE Nº ES079529-1035

Type of locking device for 40/10 automatic doors:

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (PL)	CLEAR HEIGHT (HL)
210/10/40	/ST	Standard	PRC2	600 - 1400	2000 - 2600
			PRC4	600 - 2800	2000 - 2600
	/54	IP-54	PRC6	900 - 3000	2000 - 2600
			PRC8	1200 - 3000	2000 - 2600
	/SL	Slim	PRD1 / PRI1	600 - 1400	2000 - 2600
			PRD2 / PRI2	600 - 1400	2000 - 2600
	/PA	Panorámico	PRD3 / PRI3	600 - 1400	2000 - 2600
			PRD4 / PRI4	600 - 1400	2000 - 2600

Type of locking device for Premium automatic doors:

TYPE	SUBTYPE	DESCRIPTION	SUBTYPE	CLEAR OPENING (PL)	CLEAR HEIGHT (HL)
PREMIUM	-	-	PRC2	600 - 4000	2000 - 4000
			PRC4	600 - 4000	2000 - 4000
			PRC6	700 - 4000	2000 - 4000
			PRC8	1200 - 4000	2000 - 4000
			PRD1 / PRI1	600 - 4000	2000 - 4000
			PRD2 / PRI2	600 - 4000	2000 - 4000
			PRD3 / PRI3	600 - 4000	2000 - 4000
			PRD4 / PRI4	600 - 4000	2000 - 4000





TECHNICAL APPENDIX 1 OF CERTIFICATE Nº ES079529-1035

Type of locking device for 50/11 SLIM automatic doors:

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (PL)	CLEAR HEIGHT (HL)
Basic+	-	-	PRC2	600 - 1400	2000 - 2600
			PRC4	600 - 2800	2000 - 2600
			PRD2 / PRI2	600 - 1400	2000 - 2600
			PRD3 / PRI3	600 - 1400	2000 - 2600

Type of locking device for Elite automatic doors:

TYPE	SUBTYPE	DESCRIPTION	OPENING	CLEAR OPENING (PL)	CLEAR HEIGHT (HL)
Basic+	-	-	PRC2	600 - 4000	2000 - 4000
			PRC4	600 - 4000	2000 - 4000
			PRC6	900 - 4000	2000 - 4000
			PRC8	1200 - 4000	2000 - 4000
			PRD1 / PRI1	600 - 4000	2000 - 4000
			PRD2 / PRI2	600 - 4000	2000 - 4000
			PRD3 / PRI3	600 - 4000	2000 - 4000
			PRD4 / PRI4	600 - 4000	2000 - 4000

